

## INTERMEDIATE SOLID WASTE HANDLING FACILITIES

## (Transfer stations, baling and compaction sites, and drop boxes)

Checklist for Review of Solid Waste Permit Application per WAC 173-350-310

Name of Applicant:	Name of Facility:			
Permit # assigned by Health Department:	Date Received:			
Lead Agency Reviewer Name:	Determination of Compliance with: The Site or Facility:			
Phone:	☐ meets all solid waste, air and other applicable laws and regulations ☐ conforms with the approved comprehensive solid			
Signature:	waste handling plan  ☐ complies with zoning requirements (JHD only)			
☐ Location requirements  WAC 173-350-310(2)	Location of material	Complete	Meets Requirements	Date & Initials of Reviewer)
There are no specific location standards for intermediate solid waste handling facilities subject to this chapter; however intermediate solid waste handling facilities must meet the requirements provided under WAC 173-350-040(5).				
Agency Comments:				
☐ Design Standards  WAC 173-350-310(3)	Location of material	Complete	Meets Requirements	Date & Initials of Reviewer)
Transfer stations, baling and compaction sites:				
Be surrounded by a fence, trees, shrubbery, or natural features as to control access and be screened from the view of immediately adjacent neighbors, unless the tipping floor is fully enclosed by a building				
Be sturdy and constructed of easily cleanable materials				
Be free of potential rat harborages, and provide effective means to control rodents, insects, birds and other vectors				
Be adequately screened to prevent blowing of litter and to provide effective means to control				

<ul> <li>Provide protection of the tipping floor of transfer stations, baling and compaction systems from wind, rain or snow</li> </ul>				
Provide pollution control measures to protect surface and ground waters, including runoff collection and discharge designed to handle a twenty-five-year storm as defined in WAC 173-350-100, and equipment cleaning and washdown water				
Provide pollution control measures to protect air quality				
<b>Drop boxes</b> shall be constructed of durable watertight materials with a lid to prevent water infiltration, access by rats and other vectors, and control litter				
□ Plan of operations	Location of material	Complete	Meets Requirements	Date & Initials of
WAC 173-350-310(4)(e) A description of the types of solid wastes to be				Reviewer)
handled at the facility (4)(e)(i)				
A description of how solid wastes are to be handled on-site during the facility's life, including methods of adding or removing waste from the facility and equipment used (4)(e)(ii)				
Safety and emergency plans (4)(e)(iii)				
A description of how equipment, structures and other systems are to be inspected and maintained, including the frequency of inspection and inspection logs (4)(e)(iv)				
For putrescible wastes, an odor management plan describing the actions to be taken to control nuisance odors (4)(e)(v)  NA				
Forms used to record volumes or weights (4)(e)(vi)				
Other such details to demonstrate that the facility will be operated in accordance with subsection 4 and as required by the JHD (4)(e)(vii)				
Agency Comments:				
☐ Ground Water Monitoring Requirements <i>WAC 173-350-310(5)</i>	Location of material	Complete	Meets Requirements	Date & Initials of Reviewer)
There are no specific ground water monitoring requirements for intermediate solid waste handling facilities subject to this chapter; however, intermediate solid waste handling facilities must meet the requirements provided under WAC 173-350-040(5)				

Agency Comments:				
□ Closure plan <i>WAC 173-350-310(6)(b)</i>	Location of material	Complete	Meets Requirements	Date & Initials of Reviewer)
Methods of removing wastes				
Steps taken for decontamination				
Agency Comments:	•			
☐ Financial Assurance Requirements	Location	Complete	Meets	Date &
WAC 173-350- <i>310(7)</i>	of material	•	Requirements	Initials of Reviewer)
There are no specific financial assurance				110/10//01/
requirements for intermediate solid waste handling				
facilities subject to this chapter; however, intermediate solid waste handling facilities must				
meet the requirements provided under WAC 173-				
350-040(5)				
Agency Comments:				
I .				